L Number	Hits	Search T	D	Time stamp
-	296	(717/127 717/131).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 16:51
-	176	(717/127 717/131).ccls. AND @pd<=20000927	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 16:51
-	293	(717/127 717/131).ccls. AND @ad<=20000927	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 16:52
-	77	((static AND dynamic) ADJ (analysis information data)) SAME database	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:23
-	0	((static AND dynamic) ADJ (analysis information data)) SAME database SAME (stored ADJ procedure)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:25
-	12	(source ADJ code) SAME database SAME (stored ADJ procedure)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:02
-	12	(source ADJ code) SAME database SAME (stored ADJ (procedure function))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:33
-	2	(source ADJ code) SAME identi$3 SAME database SAME (stored ADJ (procedure function))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:34
-	2	(source ADJ code) SAME identif$3 SAME database SAME (stored ADJ (procedure function))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:35
-	49	identif$3 SAME database SAME (stored ADJ (procedure function))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:36
-	72	(identif$3 indicat$3) SAME database SAME (stored ADJ (procedure function))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:37
-	2	(source ADJ code) SAME (identif$3 indicat$3) SAME database SAME (stored ADJ (procedure function))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:37
-	0	(source ADJ code) SAME database SAME quer$3 SAME ((static AND dynamic) ADJ information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:03
-	6	database SAME quer$3 SAME ((static AND dynamic) ADJ information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:06
-	6	database SAME quer$3 SAME ((static AND dynamic) ADJ (information call$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:07
-	20	database SAME quer$3 SAME ((static AND dynamic) WITH (information call$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:11
-	3	database SAME (source ADJ code) SAME ((static AND dynamic) SAME (information call$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:18

-	3	database SAME (source ADJ code) SAME ((static AND dynamic) SAME (information call$3 bind$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:19
-	1	database SAME (source ADJ code) SAME ((static AND dynamic) WITH (information call$3 bind$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:19
-	3	database SAME (source ADJ code) SAME ((static AND dynamic) SAME (information call$3 bind$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:20
-	7	(database AND (source ADJ code)) SAME ((static AND dynamic) SAME (information call$3 bind$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 19:20

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Print Format

Your search matched **4** of **939702** documents.

A maximum of **4** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.
You may refine your search by editing the current search expression or entering a new one the text box.
Then click **Search Again**.

(static information)and (query)) and(dynamic informat | Search Again

Results:
Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 **A query propagation approach to improve CORBA Trading Service scalability**
Tari, Z.; Craske, G.;
Distributed Computing Systems, 2000. Proceedings. 20th International Conference on , 2000
Page(s): 504 -511

[Abstract] [PDF Full-Text (84 KB)] IEEE CNF

2 **Recovering high-level views of object-oriented applications from static and dynamic information**
Richner, T.; Ducasse, S.;
Software Maintenance, 1999. (ICSM '99) Proceedings. IEEE International Conference on , 1999
Page(s): 13 -22

[Abstract] [PDF Full-Text (108 KB)] IEEE CNF

3 **Temporal aspects of semistructured data**
Oliboni, B.; Quintarelli, E.; Tanca, L.;
Temporal Representation and Reasoning, 2001. TIME 2001. Proceedings. Eighth International Symposium on , 2001
Page(s): 119 -127

[Abstract] [PDF Full-Text (684 KB)] IEEE CNF

4 **No Java without caffeine: A tool for dynamic analysis of Java programs**
Gueheneuc, Y.-G.; Douence, R.; Jussien, N.;
Automated Software Engineering, 2002. Proceedings. ASE 2002. 17th IEEE International Conference on , 2002
Page(s): 117 -126

[Abstract] [PDF Full-Text (408 KB)] IEEE CNF

Copyright © 2003 IEEE — All rights reserved

Search Results

Search Results for: **["static information" AND query AND "dynamic information"]**
Found **35** of **109,390** searched. -> Rerun within the Portal

Search within Results

> Advanced Search > Search Help/Tips

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 20 of 35 **short listing**

Prev Page 1 2 Next Page

1 A practical clustering algorithm for static and dynamic information organization 82%
Javed Aslam , Katya Pelekhov , Daniela Rus
Proceedings of the tenth annual ACM-SIAM symposium on Discrete algorithms January 1999

2 Modeling methodology: Supply chain agent decision aid system (SCADAS) 80%
Anurag Gupta , Larry Whitman , Ramesh K. Agarwal
Proceedings of the 33nd conference on Winter simulation December 2001
Supply chain decisions are improved with access to global information. However, supply chain partners are frequently hesitant to provide full access to all the information within an enterprise. A mechanism to make decisions based on global information without complete access to that information is required for improved supply chain decision making. Mobile agents can support this requirement and these are the programs that can be initiated on a single host and then migrate from host to host over ...

3 Agents2Go: an infrastructure for location-dependent service discovery in the mobile electronic commerce environment 80%
Olga Ratsimor , Vladimir Korolev , Anupam Joshi , Timothy Finin
Proceedings of the first international workshop on Mobile commerce July 2001
In recent years, the growth of Electronic Commerce and Mobile Computing has created a new concept of Mobile Electronic Commerce. In this paper we describe the Agents2Go System that attempts to solve problems related to location dependence that arise in a Mobile Electronic Commerce environment. Agents2Go is a distributed system that provides mobile users with the ability to obtain location dependent services and information. Our system also automatically obtains a user's current geographical l ...

4 Programming for observability support in a parallel programming environment 80%
Francesco Gregoretti , Zary Segall
Proceedings of the 1986 ACM fourteenth annual conference on Computer science February 1986

5 Efficient filtering of XML documents with XPath expressions 77%
C.-Y. Chan , P. Felber , M. Garofalakis , R. Rastogi
The VLDB Journal — The International Journal on Very Large Data Bases December 2002
Volume 11 Issue 4
The publish/subscribe paradigm is a popular model for allowing publishers (i.e., data generators) to selectively disseminate data to a large number of widely dispersed subscribers (i.e., data consumers)

who have registered their interest in specific information items. Early publish-subscribe systems have typically relied on simple subscription mechanisms, such as keyword or "bag of words" matching, or simple comparison predicates on attribute values. The emergence of XML as a standar ...

6 The Web Service Discovery Architecture 77%

Wolfgang Hoschek
Proceedings of the 2002 ACM/IEEE conference on Supercomputing November 2002
In this paper, we propose the Web Service Discovery Architecture (WSDA). At runtime, Grid applications can use this architecture to discover and adapt to remote services. WSDA promotes an interoperable web service discovery layer by defining appropriate services, interfaces, operations and protocol bindings, based on industry standards. It is unified because it subsumes an array of disparate concepts, interfaces and protocols under a single semi-transparent umbrella. It is modular because it def ...

7 Special issue on the PAPA 2002 workshop: Performance study of dispatching algorithms in multi-tier web architectures 77%

Mauro Andreolini , Michele Colajanni , Ruggero Morselli
ACM SIGMETRICS Performance Evaluation Review September 2002
Volume 30 Issue 2
The number and heterogeneity of requests to Web sites are increasing also because the Web technology is becoming the preferred interface for information systems. Many systems hosting current Web sites are complex architectures composed by multiple server layers with strong scalability and reliability issues. In this paper we compare the performance of several combinations of centralized and distributed dispatching algorithms working at the first and second layer, and using different levels of st ...

8 Monitoring and debugging: Monitoring deployed software using software tomography 77%

Jim Bowring , Alessandro Orso , Mary Jean Harrold
Proceedings of the 2002 ACM SIGPLAN-SIGSOFT workshop on Program analysis for software tools and engineering November 2002
Software products are often released with missing functionality or errors that result in failures in the field. In previous work, we presented the Gamma technology, which facilitates remote monitoring of deployed software and allows for a prompt reaction to failures. In this paper, we investigate one of the principal technologies on which Gamma is based: software tomography. *Software tomography* splits monitoring tasks across many instances of the software, so that partia ...

9 MEP: a media event platform 77%

Daniel Olsson , Andreas Nilsson
Mobile Networks and Applications June 2002
Volume 7 Issue 3
Popular media events of today are likely to attract a big, live audience. Being part of a huge cricket audience, for example, knowing that the event is broadcast to perhaps millions of people, is a truly arousing experience. But the size of the audience and the complexity of events do not come without drawbacks. Spectators find it difficult to be at the right spot at the right time and to grasp the essentials of the on goings. We introduce a Media Event Platform, which combines various sources o ...

10 A categorization of classes based on the visualization of their internal structure: the class blueprint 77%

Michele Lanza , Stéphane Ducasse
ACM SIGPLAN Notices , Proceedings of the OOPSLA '01 conference on Object Oriented Programming Systems Languages and Applications October 2001
Volume 36 Issue 11
The reengineering and reverse engineering of software systems is gaining importance in software industry, because the accelerated turnover in software industry, because the accelerated turnover in software companies creates legacy systems in a shorter period of time. Especially understanding classes is a key activity in object-oriented programming, since classes represent the primary abstractions from which applications are built. The main problem of this task is to quickly grasp the purpose of ...

11 Properties and update semantics of consistent views 77%

Georg Gottlob , Paolo Paolini , Roberto Zicari
ACM Transactions on Database Systems (TODS) October 1988
Volume 13 Issue 4
The problem of translating view updates to database updates is considered. Both databases and views are modeled as data abstractions. A data abstraction consists of a set of states and of a set of primitive update operators representing state transition functions. It is shown how complex update programs can be built from primitive update operators and how view update programs are translated into database

update programs. Special [redacted]ntion is paid to a class of views that we call "[redacted] ...

12 The Purdue University network-computing hubs: running unmodified simulation tools via the WWW 77%

Nirav H. Kapadia , José A. B. Fortes , Mark S. Lundstrom
ACM Transactions on Modeling and Computer Simulation (TOMACS) January 2000
Volume 10 Issue 1

This paper describes the Web interface management infrastructure of a functioning network-computing system (PUNCH) that allows users to run unmodified simulation packages at geographically dispersed sites. The system currently contains more than fifty university and commercial simulation tools, and has been used to carry out more than two hundred thousand simulations via the World Wide Web. Dynamically-constructed virtual URLs allow the Web interface management infrastructure to support the ...

13 Experiences of developing and deploying a context-aware tourist guide: the GUIDE project 77%

Keith Cheverst , Nigel Davies , Keith Mitchell , Adrian Friday
Proceedings of the sixth annual international conference on Mobile computing and networking August 2000

The GUIDE system has been developed to provide city visitors with a hand-held context-aware tourist guide. The system has been successfully deployed in a major tourist destination and is currently at the stage where it is publicly available to visitors who wish to explore the city. Reaching this stage has been the culmination of a number of distinct research efforts. In more detail, the development of GUIDE has involved: capturing a real set of application requirements, investigating the pr ...

14 A model for Internet printing 77%

Scott Isaacson
StandardView December 1998
Volume 6 Issue 4

15 Engineering flexible World Wide Web services 77%

Markus W. Schranz
Proceedings of the 1998 ACM symposium on Applied Computing February 1998

16 Saving traces for Ada debugging 77%

Carol H. LeDoux , D. Stott Parker
ACM SIGAda Ada Letters , Proceedings of the 1985 annual ACM SIGAda international conference on Ada May 1985
Volume V Issue 2

17 Integrating GPS data within embedded Internet GIS 77%

Arunas Stockus , Alain Bouju , Fré&dacute;ric Bertrand , Patrice Boursier
Proceedings of the seventh ACM international symposium on Advances in geographic information systems November 1999

18 Design principles for data-intensive Web sites 77%

Stefano Ceri , Piero Fraternali , Stefano Paraboschi
ACM SIGMOD Record March 1999
Volume 28 Issue 1

19 Coca: an automated debugger for C 77%

Mireille Ducassé
Proceedings of the 21st international conference on Software engineering May 1999

20 Location-aware mobile applications based on directory services 77%

Henning Maass
Mobile Networks and Applications August 1998
Volume 3 Issue 2

Location-aware applications are becoming increasingly attractive due to the widespread dissemination of wireless networks and the emergence of small and cheap locating technologies. We developed a location

information server that sim[illegible]es and speeds up the development of these a[illegible]ications by offering a set of generic location retrieval and notification services to the application. The data model and the access protocols of these services are based on the X.500 directory service and the I ...

Results 1 - 20 of 35 **short listing**

Prev Page 1 2 Next Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.